

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-17. (Cancelled)

18. (Currently Amended) A method of forming a communication,
comprising:

using a portable communication device with a camera and a display unit therein,
to obtain an image of a bar code;

using said portable communication device to make a telephone call;

using a processor within said portable communication device to analyze spacing
between elements within the image of the barcode, to obtain numerical information
indicative of the spacing within the barcode;

using said portable communication device for sending said numerical information
indicative of the bar code to a remote server and

receiving and displaying, on said display of said portable communication device,
~~more information about said advertisement obtained~~ from said remote server, which
information indicates information that was represented by the barcode.

19. (Currently Amended) A method of forming a communication,
comprising:

Appl. No. : 10/714,097
Filed : November 14, 2003

using a portable communication device with a camera and a display unit therein,
to obtain an image of a bar code;

using a processor in said portable communication device to determine edge spaces defining edges of the barcode within the image, by finding spaces within the image that are larger than an allowable space between elements of the barcode, and which spaces define edges of the barcode;

using the processor to determine sizes of barcode portions within the image between the edge spaces, and to form numerical information indicative of said sizes;

using said portable communication device to make a telephone call;

using said portable communication device for sending information indicative of the numerical information indicative of said bar code to a remote server ;

at a different time than said telephone call or said sending information indicative of said bar code, using said camera to obtain a video; and

receiving and displaying, on the display unit of said portable device, information based on said numerical information indicative of said barcode, which information is received from said remote server.

Claims 20-27 (Cancelled)

28. (Previously Presented) A method as in claim 18, wherein said bar code is a dual type bar code, with a first a part that is interpreted by a first bar code scanning process to obtain first information and a second part which is interpreted by a

Appl. No. : **10/714,097**
Filed : **November 14, 2003**

second bar code scanning process to obtain second information that has more information than first information.

29. (Previously Presented) A method as in claim 28, wherein said first part is a linear bar code and said second part is a non-linear bar code.

30. (Previously Presented) A method as in claim 28, wherein said first process is a scan in a first direction and said second process is a scan in a second direction.

31. (Previously Presented) A method as in claim 28, wherein said second part is one of grayscale or color of the bar code.

Claims 32-37 (Cancelled)

38. (withdrawn) A method comprising:
using a portable communication device which includes a camera therein to obtain an image of a bar code;
using said portable communication device to make a telephone call;
decoding information in the bar code to obtain information from the bar code;
and
using said information as an address to access a web site using said portable communication device, said web site being addressed based on said information in the

Appl. No. : 10/714,097
Filed : November 14, 2003

bar code.

39. (withdrawn) A method as in claim 38, wherein said bar code is a two-dimensional bar code.

40. (withdrawn) A method as in claim 38, wherein said bar code is a three-dimensional bar code.

41. (withdrawn) A method as in claim 38, wherein said bar code includes different parts which include different information, one of said parts including said information to access the web site.

42-47 (Cancelled)

48. (Currently Amended) A method, comprising:
using a portable telephone which includes a camera therein, at a first time to make a telephone call;
using the camera in the telephone at a second time to take a video; and
using the camera in the telephone at a third time to obtain an image of a barcode, to obtain information indicative of the barcode by using a processor in said portable communication device to determine spaces within the image that are larger than an allowable space between elements that define the barcode, using detection of said space to define edges of the barcode; using the processor to determine sizes of

Appl. No. : 10/714,097
Filed : November 14, 2003

bar portions within the image between the spaces, and, and to form displaying
information on the display of the camera indicative of the information in the barcode.